



1

NDS3242A MPEG-2 MPEG-4AVC/H.264  
 . 4 SDI/HDMI MPEG-2 MPEG-4  
 AVC/H.264 MPEG-1 layer 2, LC-AAC, HE-AAC AC3  
 CC(Closed Caption) ASI IP MPTS /SPTS NDS3242A 4 1

2

- ❖ MPEG-2 MPEG-4AVC/H.264
- ❖ MPEG-1 layer 2 LC-AAC, HE-AAC AC3
- ❖ 4 HD-SDI /HDMI
- ❖ CC(Closed Caption) EIA608 EIA708
- ❖ ASI MPTS( ) SPTS( )
- ❖ IP MPTS( ) 4 SPTS( )
- ❖ VBR CBR
- ❖ UDP RTP/RTSP
- ❖ IP
- ❖ LCD / (Web)
- ❖



3

	4	SDI/HDMI
		1920 1080_60P 1920 1080_50P( H.264 ) 1920 1080_60i 1920 1080_50i 1280 720_60p 1280 720_50P 720 480_60i 720 576_50i  1920 1080 60p 1920 1080 60P H.264) 1920 1080 50p 1920 1080 50P H.264) 1920 1080 60i 1280 720 60p 1920 1080 50i 1280 720 50p 1440 1080 60i 720 480 60i 1440 1080 50i 720 576 50i
		MPEG-2 MPEG-4AVC/H.264
		1.0~19.5Mbps H.264
		1.0~19.5Mbps MPEG-2
		CBR, VBR
		MPEG-1 layer 2, MPEG2-AAC MPEG4-AAC AC3
		48KHz
		24-bit
		64Kbps 320kbps
	1 2	ASI BNC
	IP MPTS( ) 4 SPTS( )	100base-T ( / )
	LCD /	(Web)

	482mm 400mm 44mm
	4.5kg
	0~45 ( ), -20~80
	AC 110V 10%, 50/60Hz; AC 220V 10%, 50/60Hz
	25W

成都德芯数字科技股份有限公司